## CD107a / LAMP1 Monoklonaler Antikörper







Allgemeine Informationen	Katalog-Nr.: AB-65051	GenBank-Zugangsnummer: BC006345	Reinigungsmethode: Protein-G-Reinigung
	Größe: 100tests , 5 µl/test	GenelD (NCBI): 3916	CloneNo.: H4A3
	Wirt: Maus	Vollständiger Name: lysosomal-associated membrane	Anregungs-/Emissionsmaxima- Wellenlängen: 404 nm / 458 nm
	lsotyp: IgG1, kappa	protein 1	
Anwendungen	Geprüfte Anwendungen: FC (Intra)		
	Getestete Reaktivität: Human		
Hintergrundinformationen	LAMP1 (CD107a) is a heavily glycosylated membrane protein enriched in the lysosomal membrane. LAMP1 is extensively glycosylated with asparagine-linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP1 is expressed largely in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane (PMID: 16168398). Elevated LAMP1 expression at the cell surface has also been detected during platelet and granulocytic cell activation, as well as in some tumor cells (PMID: 29085473). LAMP1 functions to provide selectins with carbohydrate ligands. This protein has also been shown to be a marker of degranulation on lymphocytes such as CD8+ and NK cells and may also play a role in tumor cell differentiation and metastasis (PMID: 18835598; 29085473; 9426697).		
Lagerung	Lagerungsbedingungen: Store at 2-8°C. Avoid exposure t Lagerungspuffer: PBS with 0.09% sodium azide a	o light. Stable for one year after shipment nd 0.5% BSA.	

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Ausgewählte Validierungsdaten





1X10<sup>^</sup>6 HeLa cells were intracellularly stained with 5 ul Atlantic Blue™ Anti-Human LAMP1 (AB-65051, Clone:H4A3). Cells were fixed with 4% PFA and permeabilized with Intracellular Staining Permeabilization Wash Buffer.

1X10^6 HeLa cells were intracellularly stained with 5 ul Atlantic Blue™ Anti-Human LAMP1 (AB-65051, Clone:H4A3). Cells were fixed with 4% PFA and permeabilized with Intracellular Staining Permeabilization Wash Buffer.