Nur für Forschungszwecke

CD28 Monoklonaler Antikörper

Katalog-Nr.: AB-65099





Allgemeine Informationen	Katalog-Nr.: AB-65099	GenBank-Zugangsnummer: BC 093698	Reinigungsmethode: Affinitätsreinigung
	Größe: 100tests , 5 µl/test	GenelD (NCBI): 940	CloneNo.: CD28.2
	Wirt: Maus Isotyp: IgG1, kappa	Vollständiger Name: CD28 molecule Berechneté Masse: 220 aa, 25 kDa	Anregungs-/Emissionsmaxima- Wellenlängen: 404 nm / 458 nm
Getestete Reaktivität: Human			
Hintergrundinformationen	CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).		
Lagerung	Lagerungsbedingungen: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Lagerungspuffer: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten





1X10[^]6 human PBMCs were surface co-stained with CL647 Anti-Human CD3 and 5 ul Atlantic Blue™ Anti-Human CD28 (AB-65099, Clone:CD28.2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.

1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD28 (AB-65099, Clone:CD28.2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.