## Nur für Forschungszwecke

## CD19 Monoklonaler Antikörper

Katalog-Nr.:APC-65110



Allgemeine Informationen

Katalog-Nr.: APC-65110

 APC-65110
 BC006338

 Größe:
 Genel D (NCBI):

100tests , 5 µl/test 9

Wirt: Vollständiger Name: Maus CD19 molecule

Isotyp:Berechneté Masse:IgG1, kappa556 aa, 61 kDa

Reinigungsmethode: Affinitätsreinigung

CloneNo.:

HIB19

Anregungs-/Emissionsmaxima-

Wellenlängen: 650 nm / 660 nm

Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Human

Hintergrundinformationen

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

GenBank-Zugangsnummer:

Lagerung


Lagerungsbedingungen:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Lagerungspuffer:

PBS with 0.09% sodium azide and 0.5% BSA.

## Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 5 ul APC Anti-Human CD19 (APC-65110, Clone: HIB19) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul APC Anti-Human CD19 (APC-65110, Clone: HIB19) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.