

Nur für Forschungszwecke

# CD279 (PD-1) Monoklonaler Antikörper



Katalog-Nr.: APC-65142

1 Publikationen

## Allgemeine Informationen

<b>Katalog-Nr.:</b> APC-65142	<b>GenBank-Zugangsnummer:</b> BC119179	<b>Reinigungsmethode:</b> Affinitätsreinigung
<b>Größe:</b> 100ug, 0.2 mg/ml	<b>GeneID (NCBI):</b> 18566	<b>CloneNo.:</b> RMP1-30
<b>Wirt:</b> Ratte	<b>Vollständiger Name:</b> programmed cell death 1	<b>Anregungs-/Emissionsmaxima-Wellenlängen:</b> 650 nm / 660 nm
<b>Isotyp:</b> IgG2b		

## Anwendungen

**Geprüfte Anwendungen:**  
FC

**In Publikationen genannte Anwendungen:**  
FC

**Getestete Reaktivität:**  
Maus

**Zitierte Arten:**  
Maus

## Hintergrundinformationen

Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).

## Bemerkenswerte Veröffentlichungen

Verfasser	Pubmed ID	Journal	Anwendung
Qing Zhang	35765095	Stem Cell Res Ther	FC

## Lagerung


**Lagerungsbedingungen:**  
Bei 2-8°C lagern. Vor Licht schützen.

**Lagerungspuffer:**  
Phosphatbasierter Puffer mit 0,09% Natriumazid und 0,1% Gelatine, pH 7,2.

For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Ausgewählte Validierungsdaten



$1 \times 10^6$  Con-A stimulated BALB/c mouse splenocytes (3 ug/ml Con-A, 3 days) were surface stained with 0.5 ug APC Anti-Mouse CD279 (PD-1) (APC-65142, Clone: RMP1-30) (blue) or isotype control antibody (black). Cells were not fixed.