## Nur für Forschungszwecke

## CD86 Monoklonaler Antikörper

Katalog-Nr.:CL405-65165



Allgemeine Informationen

Katalog-Nr.:

GenBank-Zugangsnummer: BC040261

Reinigungsmethode: Protein-G-Reinigung

CL405-65165

GeneID (NCBI):

CloneNo.:

Größe:

BU63

100 tests , 5  $\mu$ l/test Wirt:

Vollständiger Name:

Anregungs-/Emissionsmaxima-

Maus Isotyp: CD86 molecule Berechneté Masse: Wellenlängen: 399 nm / 422 nm

IgG1, kappa

329 aa, 38 kDa

Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Human

Hintergrundinformationen

CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of CD86 with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of CD86 with cytotoxic T $lymphocyte-associated\ protein\ 4\ negatively\ regulates\ T-cell\ activation\ and\ diminishes\ the\ immune\ response.$ 


Lagerung

Lagerungsbedingungen:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

## Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 405 Anti-Human CD86 (CL405-65165, Clone: BU63) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 405 Anti-Human CD86 (CL405-65165, Clone: BU63) or unstained. Cells were not fixed. Monocytes were gated.