

Nur für Forschungszwecke

RCHY1 Monoklonaler Antikörper

Katalog-Nr.:CL488-67856



Allgemeine Informationen

| | | |
|--|--|---|
| Katalog-Nr.: CL488-67856 | GenBank-Zugangsnummer: BC047393 | Reinigungsmethode: Protein-A-Reinigung |
| Größe: 100ul , Konzentration: 1000 µg/ml von25898 Nanodrop; | GeneID (NCBI): 25898 | CloneNo.: 2C11C11 |
| Wirt: Maus | Vollständiger Name: ring finger and CHY zinc finger domain containing 1 | Empfohlene Verdünnungen: IF 1:50-1:500 |
| Isotyp: IgG2a | Berechnete Masse: 261 aa, 30 kDa | Anregungs-/Emissionsmaxima- Wellenlängen: 493 nm / 522 nm |
| Immunogen Katalognummer: AG4942 | | |

Anwendungen

| | |
|--|--|
| Geprüfte Anwendungen: FC (Intra), IF | Positivkontrollen: IF : A549-Zellen, HeLa-Zellen |
| Getestete Reaktivität: Human | |

Hintergrundinformationen

Pirh2 is also named as RCHY1, ARNIP, CHIMP, PIRH2, RNF199, ZNF363 and has p53-induced ubiquitin-protein ligase activity, promoting p53 degradation. Pirh2 monoubiquitinates the translesion DNA polymerase POLH and contributes to the regulation of the cell cycle progression. This protein has 8 isoforms produced by alternative splicing and can exist as a monomer or homodimer.

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern. Vor Licht schützen. Nach dem Versand ein Jahr stabil.
Lagerungspuffer:
BS mit 50% Glycerin, 0,05% Proclin300, 0,5% BSA, pH 7,3.
Aliquotieren ist nicht notwendig bei -20°C Lagerung

***** 20ul-Größen enthalten 0.1% BSA**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Ausgewählte Validierungsdaten



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using CoraLite® Plus 488 RCHY1 antibody (CL488-67856, Clone: 2C11C11) at dilution of 1:200.



Immunofluorescent analysis of (-20°C Methanol) fixed A549 cells using CoraLite® Plus 488 RCHY1 antibody (CL488-67856, Clone: 2C11C11) at dilution of 1:200.



1X10⁶ PC-12 cells were intracellularly stained with 0.4 µg CoraLite® Plus 488 Anti-Human RCHY1 (CL488-67856, Clone: 2C11C11) (red), or 0.4 µg Mouse IgG2a Isotype Control (CL488-66360-2, Clone: K11A1B2A2) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).