

Nur für Forschungszwecke

# CD107b / LAMP2 Monoklonaler Antikörper

Katalog-Nr.:CL568-65052



## Allgemeine Informationen

<b>Katalog-Nr.:</b> CL568-65052	<b>GenBank-Zugangsnummer:</b> BC138718	<b>Reinigungsmethode:</b> Affinitätsreinigung
<b>Größe:</b> 100tests , 5 µl/test	<b>GeneID (NCBI):</b> 16784	<b>CloneNo.:</b> ABL-93
<b>Wirt:</b> Ratte	<b>Vollständiger Name:</b> lysosomal-associated membrane protein 2	<b>Empfohlene Verdünnungen:</b> IF 1:50-1:500
<b>Isotyp:</b> IgG2a, kappa		<b>Anregungs-/Emissionsmaxima-Wellenlängen:</b> 568 nm / 587 nm

## Anwendungen

<b>Geprüfte Anwendungen:</b> FC (Intra), IF	<b>Positivkontrollen:</b> IF : NIH/3T3-Zellen,
<b>Getestete Reaktivität:</b> Maus	

## Hintergrundinformationen

LAMP2 (CD107b) is a Lysosomal membrane glycoprotein. LAMP2 is extensively glycosylated with asparagine-linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP-2 is localized primarily in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane under certain circumstances, e.g., after platelet activation, during granulocytic differentiation and activation, and in some tumor cells (PMID: 12221139). LAMP is involved in lysosomal stability and autophagy (PMID: 12221139). This glycoprotein provides selectins with carbohydrate ligands. LAMP2 may play a role in tumor cell metastasis (PMID 9426697).

## Lagerung

**Lagerungsbedingungen:**  
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.  
**Lagerungspuffer:**  
PBS mit 0,1% Natriumazid und 0,5% BSA, pH 7,3.



For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Ausgewählte Validierungsdaten



1X10<sup>6</sup> NIH/3T3 cells were intracellularly stained with 5  $\mu$ l CoraLite<sup>®</sup>568 Anti-Mouse CD107b (CL568-65052, Clone: ABL-93) (red), or Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with 0.1% TritonX-100.

Immunofluorescent analysis of (-20°C Ethanol) fixed NIH/3T3 cells using CoraLite<sup>®</sup>568 CD107b antibody (CL568-65052, Clone: ABL-93) at dilution of 1:100.