

Nur für Forschungszwecke

STAT3 Polyklonaler Antikörper

Katalog-Nr.:CL647-10253

Vorgestelltes Produkt



Allgemeine Informationen

| | | |
|---|--|--|
| Katalog-Nr.: CL647-10253 | GenBank-Zugangsnummer: BC000627 | Reinigungsmethode: Antigen-Affinitätsreinigung |
| Größe: 100ul , Konzentration: 1000 µg/ml von6774 Nanodrop; | GeneID (NCBI): 10006774 | Anregungs-/Emissionsmaxima-Wellenlängen: 654 nm / 674 nm |
| Wirt: Kaninchen | Vollständiger Name: signal transducer and activator of transcription 3 (acute-phase response factor) | |
| Isotyp: IgG | Berechnete Masse: 770 aa, 88 kDa | |
| Immunogen Katalognummer: AG0360 | Beobachtete Masse: 88 kDa | |

Anwendungen

Geprüfte Anwendungen:
FC (Intra)

Getestete Reaktivität:
Human, Maus, Ratte

Hintergrundinformationen

Signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3, synonyms: APRF, FLJ20882, MGC16063) is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. STAT3 is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. STAT3 mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of STAT3. This antibody is a rabbit polyclonal antibody raised against residues near the N terminus of human STAT3. STAT3 exists three isoforms and the molecular weight of each isoform respectively is 83 kDa, 87 kDa and 88 kDa.

Lagerung

Lagerungsbedingungen:
Bei -20°C lagern. Vor Licht schützen. Nach dem Versand ein Jahr stabil.

Lagerungspuffer:
BS mit 50% Glycerin, 0,05% Proclin300, 0,5% BSA, pH 7,3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



1X10⁶ HeLa cells were intracellularly stained with 0.2 ug Coralite® Plus 647 Anti-Human STAT3 (CL647-10253) (red), or 0.2 ug Control Antibody (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).