

Phospho-Caspase 9 (Ser196) Rekombinanter Antikörper

Katalog-Nr.: CL647-80346

Allgemeine Informationen

Katalog-Nr.:	GenBank-Zugangsnummer:	Reinigungsmethode:
CL647-80346	BC002452	Protein-A-Reinigung
Größe:	GenID (NCBI):	CloneNo.:
100ul, Konzentration: 1000 µg/ml von 842		3P16
Nanodrop;	Vollständiger Name:	Anregungs-/Emissionsmaxima-
Wirz:	caspase 9, apoptosis-related cysteine	Wellenlängen:
Kaninchen	peptidase	654 nm / 674 nm
Isotyp:	Berechneté Masse:	
IgG	46 kDa	
	Beobachteté Masse:	
	46 kDa, 35 kDa	

Anwendungen

Geprüfte Anwendungen:

FC (Intra)

Getestete Reaktivität:

Human, Maus

Hintergrundinformationen

Caspase 9 also name as MCH6, APAF3, APAF-3, ICE-LAP6 and CASPASE-9c, is a member of the cysteine-aspartic acid protease (caspase) family. It's synthesized as a 46kDa precursor protein which can be cleaved into a 35kDa subunit and a 11kDa subunit. The phosphorylated type can be detected at 55kDa and 35kDa. It plays a central role in the mitochondrial or intrinsic apoptotic pathway that is engaged in response to many apoptotic stimuli. Once activated, caspase-9 cleaves and activates the effector caspases 3 and 7 to bring about apoptosis. It can be phosphorylated by PKB/AKT1 at Ser196, this modification will downregulate its activity and decrease apoptosis. Akt phosphorylation site found in human caspase 9 is absent in mouse caspase 9. It's reported that there is an increase in caspase 9 expression and activity in the hypoxic brain. Inhibition of Caspase 9 activity would render opportunity to treat neurological diseases such as stroke, neurodegenerative diseases or brain injury caused by hypoxia. (PMID: 19788417, PMID: 10529400, PMID: 9812896, PMID: 18840507)

Lagerung

Lagerungsbedingungen:

Bei -20°C lagern. Vor Licht schützen. Nach dem Versand ein Jahr stabil.


Lagerungspuffer:

BS mit 50% Glyzerin, 0,05% Proclin300, 0,5% BSA, pH 7,3.

Aliquotieren ist nicht notwendig bei -20°C Lagerung

*** 20ul-Größen enthalten 0.1% BSA

Ausgewählte Validierungsdaten



1×10^6 HEK-293 cells untreated (dashed lines) or treated with Calyculin A (red) were intracellularly stained with 0.13 ug Coralite® Plus 647 Anti-Human Phospho-Caspase 9 (Ser196) (CL647-80346, Clone:3P16), or 0.13 ug Control Antibody(blue). Cells were fixed with 4% PFA and permeabilized with 80% MeOH.