Nur für Forschungszwecke

CD28 Monoklonaler Antikörper

Katalog-Nr.:CL750-65099



Allgemeine Informationen

Katalog-Nr.:

CL750-65099

Größe:

100 tests , 5 μ l/test Wirt:

Maus Isotyp:

GenBank-Zugangsnummer:

BC093698 GeneID (NCBI):

Vollständiger Name: CD28 molecule

Berechneté Masse: 220 aa, 25 kDa

Reinigungsmethode:

Affinitätsreinigung CloneNo.:

CD28.2

Anregungs-/Emissionsmaxima-

Wellenlängen: 755 nm / 780 nm

Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Human

Hintergrundinformationen

CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).

Lagerung

Lagerungsbedingungen:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Lagerungspuffer:


PBS with 0.09% sodium azide and 0.5% BSA.

in USA), or 1(312) 455-8498 (outside USA)

Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface co-stained with Pacific Blue Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD28 (CL750-65099, Clone: CD28.2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD28 (CL750-65099, Clone: CD28.2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.