

Nur für Forschungszwecke

CD19 Monoklonaler Antikörper

Katalog-Nr.:CL750-65110



Allgemeine Informationen

Katalog-Nr.: CL750-65110	GenBank-Zugangsnummer: BC006338	Reinigungsmethode: Affinitätsreinigung
Größe: 100tests , 5 ul/test	GeneID (NCBI): 930	CloneNo.: H1B19
Wirt: Maus	Vollständiger Name: CD19 molecule	Anregungs-/Emissionsmaxima-Wellenlängen: 755 nm / 780 nm
Isotyp: IgG1, kappa	Berechnete Masse: 556 aa, 61 kDa	

Anwendungen

Geprüfte Anwendungen:
FC

Getestete Reaktivität:
Human

Hintergrundinformationen

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Lagerung

Lagerungsbedingungen:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Lagerungspuffer:
PBS with 0.09% sodium azide and 0.5% BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



1X10⁶ human PBMCs were surface co-stained with FITC Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD19 (CL750-65110, Clone:HIB19) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10⁶ human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD19 (CL750-65110, Clone:HIB19) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.