Nur für Forschungszwecke

CD86 Monoklonaler Antikörper

Katalog-Nr.:CL750-65165



Allgemeine Informationen

Katalog-Nr.: GenBank-Zugangsnummer:

CL750-65165 BC040261

Größe: GenelD (NCBI): 100tests , 5 µl/test 942

Wirt: Vollständiger Name:

MausCD86 moleculeIsotyp:Berechneté Masse:IgG1, kappa329 aa, 38 kDa

Reinigungsmethode:

Protein-G-Reinigung

CloneNo.: BU63

Anregungs-/Emissionsmaxima-

Wellenlängen: 755 nm / 780 nm

Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Human

Hintergrundinformationen

CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of CD86 with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of CD86 with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response.

Lagerung


Lagerungsbedingungen:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Lagerungspuffer

PBS with 0.09% sodium azide and 0.5% BSA.

Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 750 Anti-Human CD86 (CL750-65165, Clone:BU63). Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD14 and 5 ul Coralite® Plus 750 Anti-Human CD86 (CL750-65165, Clone:BU63). Cells were not fixed. Monocytes were gated.