Nur für Forschungszwecke

CD19 Monoklonaler Antikörper

Katalog-Nr.:CL750-65197



Allgemeine Informationen

Katalog-Nr.:

Reinigungsmethode:

CL750-65197 Größe:

GeneID (NCBI):

BC006338

Protein-G-Reinigung

100 tests , 5 μ l/test

CloneNo.: 4G7

Wirt:

Vollständiger Name: CD19 molecule

GenBank-Zugangsnummer:

Anregungs-/Emissionsmaxima-Wellenlängen:

Maus Isotyp: IgG1, kappa

Berechneté Masse: 556 aa, 61 kDa

755 nm / 780 nm

Anwendungen

Geprüfte Anwendungen:

FC

Getestete Reaktivität:

Human

Hintergrundinformationen

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Lagerung


Lagerungsbedingungen:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Lagerungspuffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface co-stained with Pacific Blue Anti-Human CD3 and 5 ul CoraLite® Plus 750 Anti-Human CD19 (CL750-65197, Clone:4G7) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 750 Anti-Human CD19 (CL750-65197, Clone:4G7) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.