Nur für Forschungszwecke

CD86 Monoklonaler Antikörper

Katalog-Nr.:CR-65165



Allgemeine Informationen

Katalog-Nr.: CR-65165

GenBank-Zugangsnummer: BC040261

Reinigungsmethode: Affinitätsreinigung

Größe:

Wirt:

GeneID (NCBI):

CloneNo.:

BU63

100 tests , 5 μ l/test

Vollständiger Name:

Anregungs-/Emissionsmaxima-

Maus Isotyp: IgG1, kappa CD86 molecule Berechneté Masse: 329 aa, 38 kDa

Wellenlängen: 592 nm / 611 nm

Anwendungen

Geprüfte Anwendungen:

Getestete Reaktivität:

Human

Hintergrundinformationen

CD86 (also known as B7.2) is a costimulatory molecule belonging to the immunoglobulin superfamily. Primarily expressed on antigen-presenting cells (APCs), including B cells, dendritic cells, and macrophages, CD86 is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of CD86 with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of CD86 with cytotoxic T $lymphocyte-associated\ protein\ 4\ negatively\ regulates\ T-cell\ activation\ and\ diminishes\ the\ immune\ response.$

Lagerung


Lagerungsbedingungen:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 0.09% sodium azide and 0.5% BSA.

in USA), or 1(312) 455-8498 (outside USA)

Ausgewählte Validierungsdaten



1X10^6 human PBMCs were surface co-stained with Atlantic Blue Anti-Human CD14 and 5 ul Cardinal Red™ Anti-Human CD86 (CR-65165, Clone:BU63) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Cardinal Red™ Anti-Human CD86 (CR-65165, Clone:BU63) (red) or unstained. Cells were not fixed. Monocytes were gated.