

CD117 Monoklonaler Antikörper

Katalog-Nr.:[FITC-65054](#)

Allgemeine Informationen

| | | |
|-------------------|------------------------|--|
| Katalog-Nr.: | GenBank-Zugangsnummer: | Reinigungsmethode: |
| FITC-65054 | BC052457 | Affinitätsreinigung |
| Größe: | GenID (NCBI): | CloneNo.: |
| 500ug , 0.5 mg/ml | 16590 | 2B8 |
| Wirt: | Vollständiger Name: | Anregungs-/Emissionsmaxima-Wellenlängen: |
| Ratte | kit oncogene | 494 nm / 520 nm |
| Isotyp: | | |
| IgG2b, kappa | | |

Anwendungen

Geprüfte Anwendungen:
FC

Getestete Reaktivität:
Maus


Hintergrundinformationen

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes CSF-1R, PDGFR β , PDGFR α , and FLT3 (PMID: 29518044). CD117 is expressed on hematopoietic stem cells and progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including melanocytes, germ cells, astrocytes, renal tubules, breast glandular epithelial cells, sweat glands, and interstitial cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early haemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).

Lagerung

Lagerungsbedingungen:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.
Lagerungspuffer:
PBS mit 0,1% Natrumazid.

Ausgewählte Validierungsdaten



1X10⁶ mouse bone marrow cells were surface co-stained with APC Anti-Mouse CD45R (B220) and 0.5 ug FITC Anti-Mouse CD117 (FITC-65054, Clone: 2B8) or 0.5 ug Isotype Control. Cells were not fixed.