

Nur für Forschungszwecke

CD107a / LAMP1 Monoklonaler Antikörper

Katalog-Nr.: **PE-65051**



Allgemeine Informationen

| | | |
|----------------------|---|--|
| Katalog-Nr.: | GenBank-Zugangsnummer: | Reinigungsmethode: |
| PE-65051 | BC006345 | Affinitätsreinigung |
| Größe: | GenID (NCBI): | CloneNo.: |
| 100tests, 10 µl/test | 3916 | H4A3 |
| Wirt: | Vollständiger Name: | Empfohlene Verdünnungen: |
| Maus | lysosomal-associated membrane protein 1 | IF 1:50-1:500 |
| Isotyp: | | Anregungs-/Emissionsmaxima-Wellenlängen: |
| IgG1, kappa | | 496 nm, 565 nm / 578 nm |

Anwendungen

| | |
|------------------------|--------------------|
| Geprüfte Anwendungen: | Positivkontrollen: |
| FC (Intra), IF | IF : HeLa-Zellen, |
| Getestete Reaktivität: | |
| Human | |

Hintergrundinformationen

LAMP1 (CD107a) is a heavily glycosylated membrane protein enriched in the lysosomal membrane. LAMP1 is extensively glycosylated with asparagine-linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP1 is expressed largely in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane (PMID: 16168398). Elevated LAMP1 expression at the cell surface has also been detected during platelet and granulocytic cell activation, as well as in some tumor cells (PMID: 29085473). LAMP1 functions to provide selectins with carbohydrate ligands. This protein has also been shown to be a marker of degranulation on lymphocytes such as CD8+ and NK cells and may also play a role in tumor cell differentiation and metastasis (PMID: 18835598; 29085473; 9426697).

Lagerung


Lagerungsbedingungen:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.
Lagerungspuffer:
PBS mit 0,1% Natriumazid und einem Stabilisator.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Ausgewählte Validierungsdaten



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using PE-Anti-Human CD107a antibody (PE-65051, Clone: H4A3) at dilution of 1:50.



1X10⁶ HeLa cells were intracellularly stained with 10 μ l PE Anti-Human CD107a (PE-65051, Clone:H4A3) (red), or Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).