

CD117 Monoklonaler Antikörper

Katalog-Nr.:PE-65054

Allgemeine Informationen

Katalog-Nr.:	GenBank-Zugangsnummer:	Reinigungsmethode:
PE-65054	BC052457	Affinitätsreinigung
Größe:	GenID (NCBI):	CloneNo.:
100ug , 0.1 mg/ml	16590	2B8
Wirt:	Vollständiger Name:	Anregungs-/Emissionsmaxima-Wellenlängen:
Ratte	kit oncogene	496 nm, 565 nm / 578 nm
Isotyp:		
IgG2b, kappa		

Anwendungen

Geprüfte Anwendungen:
FC

Getestete Reaktivität:
Maus


Hintergrundinformationen

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes CSF-1R, PDGFR β , PDGFR α , and FLT3 (PMID: 29518044). CD117 is expressed on hematopoietic stem cells and progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including melanocytes, germ cells, astrocytes, renal tubules, breast glandular epithelial cells, sweat glands, and interstitial cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early haemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).

Lagerung

Lagerungsbedingungen:
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.
Lagerungspuffer:
PBS mit 0,1% Natrumazid und einem Stabilisator.

Ausgewählte Validierungsdaten



1X10⁶ C57BL/6 mouse bone marrow cells were surface co-stained with APC Anti-Mouse CD45R (B220) and 0.5 ug PE Anti-Mouse CD117 (PE-65054, Clone:2B8) or 0.5 ug Control Antibody. Cells were not fixed.