

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-AKAP8L



Numéro de catalogue: 10103-1-AP

Phare

2 Publications

Informations de base

Numéro de catalogue:
10103-1-AP

Taille:
150ul, Concentration: 600 µg/ml by Nanodrop and 300 µg/ml by Bradford method using BSA as the standard;

Hôte:
Lapin

Isotype:
IgG

Immunogen Catalog Number:
AG0145

Numéro d'acquisition GenBank:
BC000713

Identification du gène (NCBI):
26993

Nom complet:
A kinase (PRKA) anchor protein 8-like

MW calculé
72 kDa

MW observés:
72 kDa

Méthode de purification:
Purification par affinité contre l'antigène

Dilutions recommandées:
WB 1:200-1:1000
IF 1:20-1:200

Applications

Applications testées:
IF, WB, ELISA

Demandes citées:
WB

Spécificité de l'espèce:
Humain

Espèces citées:
Humain

Contrôles positifs:

WB : cellules PC-3,
IF : cellules HEK-293,

Informations générales

AKAP8L, also named as NAKAP, or NAKAP95, is a 646 amino acid protein, which contains two C2H2 AKAP95-type zinc fingers and belongs to the AKAP95 family. AKAP8L localizes in the nucleus matrix and is expressed in the brain cortex. AKAP8L could play a role in constitutive transport element (CTE)-mediated gene expression. AKAP8L may be involved in nuclear envelope breakdown and chromatin condensation. It also may regulate the initiation phase of DNA replication when associated with TMPO-beta.

Publications notables

Autrice	Pubmed ID	Journal	Application
Tanzina Tanu	34470577	RNA Biol	WB
Li Xing	25034436	Retrovirology	WB

Stockage

Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



PC-3 cells were subjected to SDS PAGE followed by western blot with 10103-1-AP (AKAP8L Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of HEK-293 cells using 10103-1-AP (AKAP8L antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).