

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-TNFSF13



Numéro de catalogue: 10680-1-AP

Phare

3 Publications

Informations de base

Numéro de catalogue:
10680-1-AP

Taille:
150ul , Concentration: 450 µg/ml by
Nanodrop;

Hôte:
Lapin

Isotype:
IgG

Immunogen Catalog Number:
AG1056

Numéro d'acquisition GenBank:
BC008042

Identification du gène (NCBI):
8741

Nom complet:
tumor necrosis factor (ligand)
superfamily, member 13

MW calculé:
27 kDa

MW observés:
25-30 kDa

Méthode de purification:
Purification par affinité contre
l'antigène

Dilutions recommandées:
WB 1:500-1:1000
IF 1:10-1:100

Applications

Applications testées:
IF, WB, ELISA

Demandes citées:
IHC, WB

Spécificité de l'espèce:
Humain

Espèces citées:
Humain

Contrôles positifs:

WB : cellules Jurkat, cellules K-562, cellules Raji

IF : cellules SH-SY5Y,

Informations générales

TNFSF13 gene encodes tumor necrosis factor ligand superfamily member 13 (or APRIL) belonging to the tumor necrosis factor (TNF) family. APRIL is highly expressed in transformed cell lines, cancers of colon, thyroid, lymphoid tissues and specifically expressed in monocytes and macrophages, and its precursor is cleaved by furin. APRIL may be implicated in the regulation of tumor cell growth and also monocyte/macrophage-mediated immunological processes.

Publications notables

Autrice	Pubmed ID	Journal	Application
Rui Chen	34712225	Front Immunol	IHC
Ding Weifeng W	19466596	Pathol Oncol Res	WB
Ding Weifeng W	19573525	Clin Biochem	WB

Stockage

Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Jurkat cells were subjected to SDS PAGE followed by western blot with 10680-1-AP (TNFSF 13 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of SH-SY5Y cells using 10680-1-AP (TNFSF 13 antibody) at dilution of 1:25 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).