

À des fins de recherche uniquement

# Anticorps Polyclonal de lapin anti-MOG



Numéro de catalogue: **12690-1-AP** 19 Publications

## Informations de base

Numéro de catalogue:	BC035938	Méthode de purification:
12690-1-AP	Purification par affinité contre l'antigène	
Taille:	Identification du gène (NCBI):	Dilutions recommandées:
150UL, Concentration: 500 µg/ml by Nanodrop;	4340	WB 1:500-1:3000
Hôte:	Nom complet:	IHC 1:50-1:500
Lapin	myelin oligodendrocyte glycoprotein	
Isotype:	MW calculé	
IgG	295 aa, 34 kDa	
Immunogen Catalog Number:	MW observés:	
AG3273	25-28 kDa	

## Applications

Applications testées:	Contrôles positifs:
IHC, WB, ELISA	WB : tissu cérébral de souris, tissu cérébral de rat
Demandes citées:	IHC : tissu cérébral de souris,
IF, IHC, WB	
Spécificité de l'espèce:	
Humain, rat, souris	
Espèces citées:	
Humain, souris	
<b>Remarque-IHC: il est suggéré de démasquer l'antigène avec un tampon de TE buffer pH 9,0; (*) À défaut, 'le démasquage de l'antigène peut être effectué avec un tampon citrate pH 6,0.</b>	

## Informations générales

Myelin/oligodendrocyte glycoprotein (MOG), a 23-28 kDa glycoprotein, a myelin antigen at the outer surface of the central nervous system (CNS) myelin sheath, which may trigger T-cell as well as B-cell responses. It therefore constitutes a pivotal target for autoimmune responses, which result in inflammation and also demyelination in the CNS. Its presence on the outer-most lamellae of mature CNS myelin and its late appearance during myelinogenesis suggest that it contributes to myelin maturation or maintenance. 10 isoforms of MOG produced by alternative splicing have been described, and heterodimers may be formed between the different isoforms. Defects in MOG are the cause of narcolepsy type 7 (NRCLP7), a neurological disabling sleep disorder characterized by excessive daytime sleepiness, sleep fragmentation, symptoms of abnormal rapid-eye-movement (REM) sleep, cataplexy, hypnagogic hallucinations, and sleep paralysis. Role of MOG in the pathogenesis of multiple sclerosis (MS) has been reported but remains to be clarified.

## Publications notables

Autrice	Pubmed ID	Journal	Application
Isabella Farhy-Tselnicker	34494546	Elife	IF
Alessandro Dinoto	36257153	Mult Scler Relat Disord	WB
Simona Perga	33051914	Brain Pathol	IHC

## Stockage

### Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

### Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20°C


\*\*\* Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



Various lysates were subjected to SDS PAGE followed by western blot with 12690-1-AP (MOG antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 12690-1-AP (MOG antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).