

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-DLX1



Numéro de catalogue: **13046-1-AP** 1 Publications

Informations de base

Numéro de catalogue:	BC036189	Méthode de purification:
13046-1-AP	1745	Purification par affinité contre l'antigène
Taille:	distal-less homeobox 1	Dilutions recommandées:
150ul , Concentration: 350 µg/ml by Nanodrop and 280 µg/ml by Bradford method using BSA as the standard;	255 aa, 27 kDa	WB 1:500-1:1000
Hôte:	MW calculé	
Lapin	255 aa, 27 kDa	
Isotype:	MW observés:	
IgG	27 kDa	
Immunogen Catalog Number:		
AG3586		

Applications

Applications testées:	Contrôles positifs:
WB,ELISA	WB : tissu cérébral humain, cellules A375, cellules HeLa
Demandes citées:	
WB	
Spécificité de l'espèce:	
Humain, rat, souris	
Espèces citées:	
Humain	

Informations générales

Distal-less homeobox 1(DLX1) is a member of the DLX family of homeobox transcription factors, which is essential for the production of forebrain GABAergic interneurons during embryonic development. The DLX family of homeobox transcription factors (Dlx1, Dlx2, Dlx5 and Dlx6) is expressed in overlapping domains at different stages of cell differentiation in the subpallium and controls differentiation of GABAergic neurons. DLX1 possible has a role in craniofacial patterning and morphogenesis and involves in the early development of diencephalic subdivisions.

Publications notables

Autrice	Pubmed ID	Journal	Application
Peide Bai	32368149	Cancer Manag Res	WB

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



human brain tissue were subjected to SDS PAGE followed by western blot with 13046-1-AP (DLX1 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.