

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-AKAP3

Numéro de catalogue: **13907-1-AP** 15 Publications



Informations de base

Numéro de catalogue:	BC047535	Méthode de purification:
13907-1-AP		Purification par affinité contre l'antigène
Taille:	Identification du gène (NCBI):	Dilutions recommandées:
150ul , Concentration: 800 µg/ml by Nanodrop;	10566	WB 1:1000-1:4000
Hôte:	Nom complet:	IHC 1:50-1:500
Lapin	A kinase (PRKA) anchor protein 3	IF 1:50-1:500
Isotype:	MW calculé	
IgG	95 kDa	
Immunogen Catalog Number:	MW observés:	
AG4885	100 kDa	

Applications

Applications testées:	Contrôles positifs:
IF, IHC, WB, ELISA	WB : tissu testiculaire de souris, tissu testiculaire de rat
Demandes citées:	IHC : tissu testiculaire de souris,
ColP, IF, IHC, IP, WB	IF : tissu testiculaire de souris,
Spécificité de l'espèce:	
Humain, rat, souris	
Espèces citées:	
Humain, porc, souris	
Remarque-IHC: il est suggéré de démasquer l'antigène avec un tampon de TE buffer pH 9,0; (*) À défaut, 'le démasquage de l'antigène peut être effectué avec un tampon citrate pH 6,0.	

Informations générales

AKAP3 is a member of A-kinase anchoring proteins (AKAPs), a family of functionally related proteins that target protein kinase A to discrete locations within the cell. AKAP3 is reported to participate in protein-protein interactions with the R-subunit of the protein kinase A as well as sperm-associated proteins. AKAP3 is expressed in spermatozoa and localized to the acrosomal region of the sperm head as well as the length of the principal piece. It may function as a regulator of motility, capacitation, and the acrosome reaction.

Publications notables

Autrice	Pubmed ID	Journal	Application
Yan-Wei Sha	30298696	Clin Genet	IF
Yuki Kaneda	35618043	Dev Biol	WB
Shadma Fatima	25820252	Sci Rep	WB, IF, IHC, IP

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C


*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Données de validation sélectionnées




Various lysates were subjected to SDS PAGE followed by western blot with 13907-1-AP (AKAP3 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 13907-1-AP (AKAP3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 13907-1-AP (AKAP3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using AKAP3 antibody (13907-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using AKAP3 antibody (13907-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).