

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-ZGPAT



Numéro de catalogue: 23203-1-AP

Informations de base

Numéro de catalogue: 23203-1-AP	Numéro d'acquisition GenBank: BC032612	Méthode de purification: Purifié par affinité contre l'antigène
Taille: 150ul , Concentration: 500 µg/ml by Nanodrop and 240 µg/ml by Bradford method using BSA as the standard;	Identification du gène (NCBI): 84619	Dilutions recommandées: WB 1:500-1:2000
Hôte: Lapin	Nom complet: zinc finger, CCCH-type with G patch domain	
Isotype: IgG	MW calculé: 531 aa, 57 kDa	
Immunogen Catalog Number: AG19620	MW observés: 65 kDa	

Applications

Applications testées: WB, ELISA	Contrôles positifs: WB : cellules L02, cellules HepG2, tissu hépatique de souris
Spécificité de l'espèce: Humain, souris	

Informations générales

ZGPAT (Zinc finger CCCH-type with G patch domain-containing protein), also known as zinc finger CCCH domain-containing protein 9 (ZC3HDC9) and G patch domain-containing protein 6 (GPATC6), is a 531 amino acid protein that contains a G-patch domain, which is typically found within RNA-binding proteins. Proteins that contain the G-patch domain include some tumor suppressor and DNA-damage repair proteins. ZGPAT also contains one C3H1-type zinc finger, which further supports its probable role as an RNA-binding protein. The gene encoding ZGPAT is inactivated via differential methylation in a oligodendroglioma cell line, suggesting that ZGPAT may have utility as a biomarker. There are several isoforms of ZGPAT that are produced as a result of alternative splicing events.

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azotate de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C

***** Les 20ul contiennent 0,1% de BSA.**

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



L02 cells were subjected to SDS PAGE followed by western blot with 23203-1-AP (ZGPAT antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.