

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-USP39



Numéro de catalogue: 23865-1-AP

Phare

14 Publications

Informations de base

Numéro de catalogue:

23865-1-AP

Taille:

150ul, Concentration: 600 µg/ml by Nanodrop and 333 µg/ml by Bradford method using BSA as the standard;

Hôte:

Lapin

Isotype:

IgG

Immunogen Catalog Number:

AG20894

Numéro d'acquisition GenBank:

BC067273

Identification du gène (NCBI):

10713

Nom complet:

ubiquitin specific peptidase 39

MW calculé

565 aa, 65 kDa

MW observés:

60-65 kDa

Méthode de purification:

Purification par affinité contre l'antigène

Dilutions recommandées:

WB 1:1000-1:4000

IP 0.5-4.0 ug for IP and 1:500-1:2000 for WB

IHC 1:50-1:500

IF 1:10-1:100

Applications

Applications testées:

IF, IHC, IP, WB, ELISA

Demandes citées:

IF, IHC, IP, RIP, WB

Spécificité de l'espèce:

Humain

Espèces citées:

Humain, souris

Remarque-IHC: il est suggéré de démasquer l'antigène avec un tampon de TE buffer pH 9.0; (*) A défaut, le démasquage de l'antigène peut être effectué avec un tampon citrate pH 6,0.

Contrôles positifs:

WB : cellules K-562, cellules HEK-293, cellules HeLa, cellules HepG2, cellules Jurkat

IP : cellules K-562,

IHC : tissu de cancer du côlon humain,

IF : cellules HUVEC,

Informations générales

Publications notables

Autrice	Pubmed ID	Journal	Application
Zhifeng Lin	27629785	Mol Cell Biochem	WB
Zhe Chen	28878014	J Biol Chem	WB,IP
Jian Jiang	30323969	Am J Cancer Res	WB

Stockage

Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Données de validation sélectionnées




K-562 cells were subjected to SDS PAGE followed by western blot with 23865-1-AP (USP39 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




IP Result of anti-USP39 (IP:23865-1-AP, 4ug; Detection:23865-1-AP 1:1000) with K-562 cells lysate 3200ug.




Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 23865-1-AP (USP39 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide using 23865-1-AP (USP39 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of HUVEC cells using 23865-1-AP (USP39 antibody) at dilution of 1:25 and Rhodamine-Goat anti-Rabbit IgG.



Various lysates were subjected to SDS PAGE followed by western blot with 23865-1-AP (USP39 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



WB result of USP39 antibody (23865-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-USP39 transfected HEK-293 cells.