

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-C10orf67



Numéro de catalogue: 24459-1-AP

Informations de base

Numéro de catalogue: 24459-1-AP	Numéro d'acquisition GenBank: BC035732	Méthode de purification: Purification par affinité contre l'antigène
Taille: 150ul , Concentration: 750 µg/ml by Nanodrop and 347 µg/ml by Bradford method using BSA as the standard;	Identification du gène (NCBI): 256815	Dilutions recommandées: WB 1:200-1:1000
Hôte: Lapin	Nom complet: chromosome 10 open reading frame 67	
Isotype: IgG	MW calculé: 184 aa, 21 kDa	
Immunogen Catalog Number: AG21465	MW observés: 18-21 kDa	

Applications

Applications testées: WB, ELISA	Contrôles positifs: WB : cellules PC-3, cellules A549, tissu testiculaire humain
Spécificité de l'espèce: Humain	

Informations générales

RNF17 also termed as ring finger protein 17 is a 1623 amino acid protein, which contains 1 ring type zinc finger and 4 tudor domains. RNF17 is specifically expressed in testis. The RING finger motif presents in many ubiquitin E3 ligases. RNF17 interacts with all four members of the Mad family (Mad1, Mxi1, Mad3 and Mad4), which are basic-helix-loop-helix-leucine zipper transcription factors of the Myc oncoprotein network. RNF17 is component of the tectonic-like complex, which is required for ciliogenesis and sonic hedgehog/SHH signaling. RNF17 is able to form dimers or polymers both in vitro and in vivo, indicating that it may play a role in the assembly of RNF17 granules. RNF17 encodes a novel key regulator of spermiogenesis.

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliqotage n'est pas nécessaire pour le stockage à -20C

***** Les 20ul contiennent 0,1% de BSA.**


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



PC-3 cells were subjected to SDS PAGE followed by western blot with 24459-1-AP (C10orf67 Antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.