

À des fins de recherche uniquement

# Anticorps Polyclonal de lapin anti-ZBTB8A



Numéro de catalogue: 24544-1-AP

## Informations de base

Numéro de catalogue:

24544-1-AP

Taille:

150ul, Concentration: 800 µg/ml by Nanodrop and 400 µg/ml by Bradford method using BSA as the standard;

Hôte:

Lapin

Isotype:

IgG

Immunogen Catalog Number:

AG21588

Numéro d'acquisition GenBank:

BC015239

Identification du gène (NCBI):

653121

Nom complet:

zinc finger and BTB domain containing 8A

MW calculé

441 aa, 50 kDa

MW observés:

55-60 kDa

Méthode de purification:

Purification par affinité contre l'antigène

Dilutions recommandées:

WB 1:500-1:2000

IP 0.5-4.0 ug for IP and 1:200-1:1000 for WB

IF 1:20-1:200

## Applications

Applications testées:

IF, IP, WB, ELISA

Spécificité de l'espèce:

Humain

Contrôles positifs:

WB : cellules HEK-293,

IP : cellules HEK-293,

IF : cellules HEK-293,

## Informations générales

ZBTB8A, also named as Zinc finger and BTB domain-containing protein 8A, is a 441 amino acid protein, which may be involved in transcriptional regulation. ZBTB8A may be a potential carcinogenic factor in gastric carcinoma, and may also be involved in gastric adenocarcinoma cell differentiation, cancer invasion and metastasis. The calculated molecular weight of ZBTB8A is 50 kDa, but modified ZBTB8A is about 55-60 kDa.

## Stockage

Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20C

\*\*\* Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Données de validation sélectionnées



HEK-293 cells were subjected to SDS PAGE followed by western blot with 24544-1-AP (ZBTB8A Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP Result of anti-ZBTB8A (IP:24544-1-AP, 3ug; Detection:24544-1-AP 1:300) with HEK-293 cells lysate 920ug.



Immunofluorescent analysis of HEK-293 cells using 24544-1-AP (ZBTB8A antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).