

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-ZKSCAN1



Numéro de catalogue: 25214-1-AP **Phare**

Informations de base

Numéro de catalogue: 25214-1-AP	Numéro d'acquisition GenBank: BC022378	Méthode de purification: Purification par affinité contre l'antigène
Taille: 150ul , Concentration: 1100 µg/ml by Nanodrop;	Identification du gène (NCBI): 7586	Dilutions recommandées: WB 1:2000-1:12000 IF 1:50-1:500
Hôte: Lapin	Nom complet: zinc finger with KRAB and SCAN domains 1	
Isotype: IgG	MW calculé: 563 aa, 64 kDa	
Immunogen Catalog Number: AG19721	MW observés: 64 kDa	

Applications

Applications testées:
IF, WB, ELISA

Spécificité de l'espèce:
Humain, souris

Contrôles positifs:

WB : cellules HeLa, cellules HEK-293, cellules HepG2, cellules Jurkat, cellules MCF-7

IF : cellules A431,

Informations générales

ZKSCAN1(Zinc finger protein with KRAB and SCAN domains 1), also named as ZNF139, is a member in transcription factor zinc finger protein family(PMID: 24515389). Zinc finger protein 139 (ZNF139) gene is proved play an important role in gastric cancer, overexpression of ZNF139 correlated with tumor differentiation, invasion depth, clinical stage, lymphatic metastasis, and blood vessel invasion(PMID: 25436386, PMID: 25561801). The molecular weight of ZKSCAN1 is 64 kDa.

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3


L'aliquotage n'est pas nécessaire pour le stockage à -20C

***** Les 20ul contiennent 0,1% de BSA.**


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Données de validation sélectionnées



WB result of ZKSCAN1 antibody (25214-1-AP; 1:6000; incubated at room temperature for 1.5 hours) with sh-Control and sh-ZKSCAN1 transfected HEK-293 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 25214-1-AP (ZKSCAN1 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using ZKSCAN1 antibody (25214-1-AP) at dilution of 1:200 and CoraLite@488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).