

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-NAIP



Numéro de catalogue: 55153-1-AP

Informations de base

Numéro de catalogue: 55153-1-AP	Numéro d'acquisition GenBank: NM_004536	Méthode de purification: Purification par affinité contre l'antigène
Taille: 150ul , Concentration: 400 µg/ml by Nanodrop and 373 µg/ml by Bradford method using BSA as the standard;	Identification du gène (NCBI): 4671	Dilutions recommandées: WB 1:1000-1:4000
Hôte: Lapin	Nom complet: NLR family, apoptosis inhibitory protein	
Isotype: IgG	MW calculé: 160 kDa	
	MW observés: 160 kDa	

Applications

Applications testées: WB, ELISA	Contrôles positifs: WB : cellules HeLa, cellules HepG2
Spécificité de l'espèce: Humain	

Informations générales

NAIP, also named as BIRC1, prevents motor-neuron apoptosis induced by a variety of signals. It is a possible role in the prevention of spinal muscular atrophy that seems to be caused by inappropriate persistence of motor-neuron apoptosis: mutated or deleted forms of NAIP have been found in individuals with severe spinal muscular atrophy. (PMID: 7813013; PMID: 8552191). This antibody is specific to NAIP.

Stockage

Stockage:
Stocker à -20 °C
Tampon de stockage:
PBS avec azote de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



HeLa cells were subjected to SDS PAGE followed by western blot with 55153-1-AP (NAIP antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.