

À des fins de recherche uniquement

Anticorps Monoclonal anti-CD117 (c-Kit)



Numéro de catalogue: 65094-1-Ig

Informations de base

Numéro de catalogue:	BC052457	Méthode de purification:
65094-1-Ig	Purification par affinité	
Taille:	16590	CloneNo.:
100ug , 0.5 mg/ml		ACK2
Hôte:	Nom complet:	
Rat	kit oncogene	
Isotype:		
IgG2b		

Applications

Applications testées:
FC

Spécificité de l'espèce:
souris

Informations générales

CD117, also known as c-Kit and SCFR, is a transmembrane protein with tyrosine kinase activity encoded by the oncogene c-kit (PMID: 2448137). It is a member of the type III receptor tyrosine kinase family, which also includes CSF-1R, PDGFR β , PDGFR α , and FLT3 (PMID: 29518044). CD117 is expressed on hematopoietic stem cells and progenitor cells, mast cells, and is also found in a wide range of non-haemopoietic cell types (including melanocytes, germ cells, astrocytes, renal tubules, breast glandular epithelial cells, sweat glands, and interstitial cells of Cajal) (PMID: 10582338; 23073628). CD117 plays an important role in early haemopoiesis. It is also involved in pigmentation, fertility, gut movement, and some aspects of the nervous system (PMID: 23073628).


Stockage

Stockage:
Stocker à une température comprise entre 2 °C et 8 °C.
Tampon de stockage:
Tampon à base de phosphate avec azoture de sodium à 0,09 %, pH 7,2.


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



1X10⁶ C57BL/6 mouse bone marrow cells were surface stained with APC Anti-Mouse CD45R (B220) (APC-65139, Clone: RA3-6B2), 1 ug Anti-Mouse CD117 (c-Kit) (65094-1-Ig, Clone: ACK2) and FITC anti-rat IgG2b Antibody at dilution 1:50. Cells were not fixed.



1X10⁶ C57BL/6 mouse bone marrow cells were surface stained with APC Anti-Mouse CD45R (B220) (APC-65139, Clone: RA3-6B2), 1 ug rat IgG2b isotype control and FITC anti-rat IgG2b Antibody at dilution 1:50. Cells were not fixed.