## À des fins de recherche uniquement

## Anticorps Monoclonal anti-CD45RA

Numéro de catalogue:65108-1-lg



Informations de base

Numéro de catalogue:

65108-1-lg

Taille:

500ug , 0.5 mg/ml

Hôte:

Mouse Isotype:

IgG2b, kappa

Numéro d'acquisition GenBank:

BC014239

Identification du gène (NCBI):

5788

Nom complet:

protein tyrosine phosphatase,

receptor type, C

Méthode de purification: Purification par affinité

CloneNo.: HI 100

**Applications** 

Applications testées:

FC

Spécificité de l'espèce:

Humain

Informations générales

CD45, also known as protein tyrosine phosphatase, receptor type C, is a type I transmembrane protein expressed on the surface of all haematopoietic cells with the exception of erythrocytes and platelets (PMID: 3489673; 28615666). CD45 is a pan-haematopoietic cell marker and has been shown to be essential for T- and B-cell activation and signalling (PMID: 9429890; 16378097). CD45 exists as multiple isoforms due to alternative splicing of three exons (4, 5, and 6, designated A, B, and C) in the extracellular domain (PMID: 12414720). CD45RA is expressed on naïve T cells, B cells, and monocytes (PMID: 1830500; 14687231).

Stockage


Stockage

Store at 2-8°C. Stable for one year after shipment.


Tampon de stockage:

PBS with 0.09% sodium azide.

## Données de validation sélectionnées



1X10^6 human PBMCs were surface co-stained with CL647 Anti-Human CD45RO and 0.2 ug Anti-Human CD45RA (65108-1-1g, Clone:HI 100) and CoraLite® 594-Conjugated Affini Pure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 or unstained. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD45RA (65108-1-Ig, Clone:HI 100) and Coralite®594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red) or unstained. Cells were not fixed. Lymphocytes were gated.