À des fins de recherche uniquement

Anticorps Monoclonal anti-CD44

Numéro de catalogue:65117-1-lg



Informations de base

Numéro de catalogue:

65117-1-lg

Taille:

100ug , 0.5 mg/ml

Hôte: Rat Isotype:

IgG2b, kappa

Numéro d'acquisition GenBank:

BC051388 Identification du gène (NCBI):

12505

Nom complet:

CD44 antigen

Méthode de purification: Purification par protéine A

CloneNo.: IM7

Applications

Applications testées:

FC

Spécificité de l'espèce:

Humain, souris

Informations générales

CD44 is a type I transmembrane glycoprotein expressed on embryonic stem cells and in various levels on other cell types including connective tissues and bone marrow. CD44 expression is also upregulated in subpopulations of cancer cells and is recognized as a molecular marker for cancer stem cells (PMID: 29747682). It is a cell-surface receptor that mediates cell-cell and cell-matrix interactions through its affinity for hyaluronic acid (HA) and possibly also through its affinity for other ligands (PMID: 10694938). Adhesion with HA plays an important role in cell migration, tumor growth and progression. CD44 is also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis.

Stockage

Stockage:


Store at 2-8°C. Stable for one year after shipment.

Tampon de stockage:

Tampon à base de phosphate avec azoture de sodium à 0,09 %, pH 7,2.

in USA), or 1(312) 455-8498 (outside USA)

Données de validation sélectionnées



1X10^6 C57BL/c mouse splenocytes were surface co-stained with APC Anti-Mouse CD3 (17A2), and 0.5 ug Anti-Mouse CD44 (65117-1-1g, Clone: IM7) and FITC anti-rat IgG2b Antibody at dilution 1:100 or 0.5 ug isotype control and FITC anti-rat IgG2b Antibody at dilution 1:100. Cells were not fixed.