

À des fins de recherche uniquement

Anticorps Monoclonal anti-DOHH

Numéro de catalogue: 68151-1-Ig



Informations de base

Numéro de catalogue: 68151-1-Ig	Numéro d'acquisition GenBank: BC002817	Méthode de purification: Purification par protéine G
Taille: 150ul , Concentration: 1000 µg/ml by Nanodrop;	Identification du gène (NCBI): 83475	CloneNo.: 1H5H7
Hôte: Mouse	Nom complet: deoxyhypusine hydroxylase/monooxygenase	Dilutions recommandées: WB 1:5000-1:50000
Isotype: IgG1	MW calculé 33 kDa	
Immunogen Catalog Number: AG13041	MW observés: 33 kDa	

Applications

Applications testées:

WB, ELISA

Spécificité de l'espèce:

Humain, rat, souris

Contrôles positifs:

WB : cellules LNCaP, cellules HEK-293, cellules HeLa, cellules HSC-T6, cellules Jurkat, cellules NIH/3T3

Informations générales

Deoxyhypusine hydroxylase (DOHH) is the enzyme catalyzing the second step in the post-translational synthesis of hypusine [Nε-(4-amino-2-hydroxybutyl)lysine] in the eukaryotic initiation factor 5A (eIF5A). DOHH has been reported to mediate several crucial cellular functions, including cellular proliferation, differentiation and apoptosis. Moreover, previous studies have established that DOHH is highly involved in several essential biological processes driving human diseases including cancer growth, malarial drug resistance, and HIV-1 replication. In particular, the DOHH/eIF5A signaling pathway was revealed to mediate the ability of nerve growth factor to enhance neuronal growth and survival, highlighting the importance of DOHH in neuroprotection (PMID: 35007708, PMID: 16371467, PMID: 22908221, PMID: 19706422).

Stockage

Stockage:

Stocker à -20°C. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3

L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Various lysates were subjected to SDS PAGE followed by western blot with 68151-1-Ig (DOHH antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



Various lysates were subjected to SDS PAGE followed by western blot with 68151-1-Ig (DOHH antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.