

À des fins de recherche uniquement

Anticorps Recombinant de lapin anti-EIF6



Numéro de catalogue: 82693-1-RR

Informations de base

Numéro de catalogue: 82693-1-RR	Numéro d'acquisition GenBank: BC001119	Méthode de purification: Purification par protéine A
Taille: 100ul , Concentration: 500 µg/ml by Nanodrop;	Identification du gène (NCBI): 3692	CloneNo.: 2G23
Hôte: Lapin	Nom complet: eukaryotic translation initiation factor 6	Dilutions recommandées: WB 1:1000-1:5000
Isotype: IgG	MW calculé 27 kDa	
Immunogen Catalog Number: AG0324	MW observés: 27 kDa	

Applications

Applications testées:
WB, ELISA
Spécificité de l'espèce:
Humain

Contrôles positifs:

WB : cellules HepG2, cellules A375, cellules A549,
cellules COLO 320, cellules HeLa

Informations générales

p27(BBP/eIF6) is an evolutionarily conserved protein that was originally identified as p27(BBP), it functions as an interactor of the cytoplasmic domain of integrin 4 and as the putative translation initiation factor eIF6. p27BBP is found in two pools: one nuclear pool enriched in the perinucleolar region, and one cytoplasmic pool. p27BBP binds to the fibronectin type III domains of integrin 4 subunit (ITGB4), an important functional component of hemidesmosomes, and help link ITGB4 to the intermediate filament cytoskeleton. In vitro and in vivo studies demonstrated that p27BBP is essential for cell viability and has a primary function in the biogenesis of the 60S ribosomal subunit. p27BBP protein is increased in rapidly cycling cells and decreased in villous cells committed to apoptotic cell death. In dysplastic colorectal adenomas and carcinomas, p27BBP displayed a large increase of its nucleolar component and was associated with the nuclear matrix. In particular, p27BBP increased progressively from adenomas to carcinomas and was related to the tumor stage.

Stockage

Stockage:
Stocker à -20°C. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec azoture de sodium à 0,02 % et glycérol à 50 % pH 7,3
L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Various lysates were subjected to SDS PAGE followed by western blot with 82693-1-RR (EIF6 antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.