À des fins de recherche uniquement

Anticorps Monoclonal anti-CD54 (ICAM-1)



Numéro de catalogue: AB-65075

Informations de base

Numéro de catalogue:

AB-65075

Taille:

100 tests , 5 μ l/test

Hôte: Mouse

MW calculé Isotype: IgG1, kappa 90 kDa

Méthode de purification:

Purification par affinité CloneNo.:

Excitation/Emission maxima

wavelengths: 404 nm / 458 nm

Applications

Applications testées:

FC

Spécificité de l'espèce:

Humain

Informations générales

ICAM-1 (CD54) is a 90-kDa transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF-a, INF-y, IL-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).

Numéro d'acquisition GenBank:

Identification du gène (NCBI):

intercellular adhesion molecule 1

BC015969

Nom complet:


Stockage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Tampon de stockage:

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD54 (ICAM-1) (AB-65075, Clone:15.2) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD54 (ICAM-1) (AB-65075, Clone:15.2) or unstained. Cells were not fixed. Monocytes were gated.