

À des fins de recherche uniquement

Anticorps Monoclonal anti-CD16

Numéro de catalogue: AB-65090



Informations de base

Numéro de catalogue:

AB-65090

Taille:

100 tests, 5 µl/test

Hôte:

Mouse

Isotype:

IgG1, kappa

Numéro d'acquisition GenBank:

BC017865

Identification du gène (NCBI):

2214

Nom complet:

Fc fragment of IgG, low affinity IIIa, receptor (CD16a)

MW calculé

254 aa, 29 kDa

Méthode de purification:

Purification par affinité

CloneNo.:

3G8

Excitation/Emission maxima wavelengths:

404 nm / 458 nm

Applications

Applications testées:

FC

Spécificité de l'espèce:

Humain

Informations générales

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors FcγRIIIa (CD16a) and FcγRIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and the FCGR3B. Clone 3G8 recognizes both the CD16a and CD16b (PMID: 7592758).

Stockage

Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Tampon de stockage:

PBS with 0.09% sodium azide and 0.5% BSA.


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



1X10⁶ human PBMCs were surface co-stained with PE Anti-Human CD3 and 5 ul Atlantic Blue™ Anti-Human CD16 (AB-65090, Clone:3G8) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10⁶ human PBMCs were surface co-stained with PE Anti-Human CD3 and 5 ul Atlantic Blue™ Anti-Human CD16 (AB-65090, Clone:3G8) or Mouse IgG1 Isotype Control. Cells were not fixed. CD3 negative lymphocytes were gated.