## À des fins de recherche uniquement

## Anticorps Monoclonal anti-CD3

Numéro de catalogue: AB-65133



Méthode de purification:

Purification par affinité

Excitation/Emission maxima

CloneNo.:

wavelengths: 404 nm / 458 nm

OKT3

Informations de base

Numéro de catalogue:

AB-65133

Taille:

100 tests , 5  $\mu$ l/test

Hôte: Mouse

Isotype: IgG2a, kappa

Spécificité de l'espèce:

Humain

Applications testées:

Informations générales

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 $\gamma$ ,  $\delta$ ,  $\epsilon$ , and  $\zeta$  chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).

Numéro d'acquisition GenBank:

Identification du gène (NCBI):

CD3e molecule, epsilon (CD3-TCR

BC049847

Nom complet:

complex)

MW calculé 207 aa, 23 kDa

Stockage

**Applications** 


Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Tampon de stockage

PBS with 0.09% sodium azide and 0.5% BSA.

## Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD3 (AB-65133, Clone:OKT3) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD3 (AB-65133, Clone:OKT3) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.