À des fins de recherche uniquement

Anticorps Monoclonal anti-CD62L

Numéro de catalogue: AB-65167



Informations de base

Numéro de catalogue:

AB-65167

Taille:

100 tests , 5 μ l/test

Hôte: Mouse Isotype: IgG1, kappa Numéro d'acquisition GenBank:

BC020758 Identification du gène (NCBI):

42 kDa

Nom complet: selectin L MW calculé

Méthode de purification:

Purifié par chromatographie d'affinité

par protéine A

CloneNo.: DREG56

Excitation/Emission maxima

wavelengths: 404 nm / 458 nm

Applications

Applications testées:

FC

Spécificité de l'espèce:

Humain

Informations générales

CD62L, also known as L-selectin or SELL, is a member of the selectin family of adhesion molecules that also include CD62E (E-selectin) and CD62P (P-selectin) (PMID: 2663882, 2473156, 1382078). CD62L is a highly glycosylated protein of 95-105 kDa on neutrophils and 74 kDa on lymphocytes (PMID: 1382078; 1694883, 1695155). CD62L is expressed on the surface of most leukocytes, including lymphocytes, neutrophils, monocytes, eosinophils, hematopoietic progenitor cells, and immature thymocytes (PMID: 1694883, 1688580). It mediates the binding of lymphocytes to high endothelial venules (HEV) of peripheral lymph nodes through interactions with a constitutively of the peripheral lymph nodes of the peripheral lymph nodes.expressed ligand, and is also involved in lymphocyte, neutrophil, and monocyte attachment to endothelium at sites of inflammation (PMID: 1382078).

Stockage


Stockage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.


Tampon de stockage:

PBS with 0.09% sodium azide and 0.5% BSA.

Données de validation sélectionnées



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD62L (AB-65167, Clone:DREG56) or Mouse IgG1 Isotype Control. Cells were not fixed.



1X10^6 human PBMCs were surface stained with 5 ul Atlantic Blue™ Anti-Human CD62L (AB-65167, Clone:DREG56) or Mouse IgG1 Isotype Control. Cells were not fixed.