À des fins de recherche uniquement

Anticorps Monoclonal anti-CD13

Numéro de catalogue: AB-65186



Purifié par chromatographie d'affinité

Informations de base

Numéro de catalogue:

100 tests , 5 μ l/test

AB-65186

BC058928

Taille:

Identification du gène (NCBI):

Numéro d'acquisition GenBank:

par protéine A CloneNo.: WM15

Hôte: Mouse

Nom complet:

alanyl (membrane) aminopeptidase Excitation/Emission maxima

Méthode de purification:

Isotype: IgG1, kappa MW calculé 110 kDa

wavelengths: 404 nm / 458 nm

Applications

Applications testées:

FC

Spécificité de l'espèce:

Humain, primates non humains

Informations générales

CD13, also named as APN, ANPEP (aminopeptidase N) or PEPN, is belongs to the peptidase M1 family. CD13 is a heavily glycosylated, ~150-240 kDa, type-II membrane, expressed by most cells of myeloid origin including monocytes, macrophages, granulocytes, and their hematopoietic precursors. It is also abundantly expressed in the brush border of epithelial cells from renal proximal tubules and small intestine, in prostatic epithelial cells, in bile $duct\ can a liculi, in\ mast\ cells,\ and,\ in\ some\ cases, in\ fibroblasts\ and\ smooth\ muscle\ cells.\ CD13\ is\ a\ multifunctional$ protein and plays varying roles in cell migration, cell proliferation, cell differentiation and so on. CD13 participates in angiogenesis generating and modulating angiogenic signals, and can be a marker of angiogenic vessels. CD13 is also a pan-myeloid marker, present on mature granulocytes and monocytes. (PMID: 8805662, 10098327, 18603472, 18097955, 17897790, 17888402, 21339174)

Stockage

Stockage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Tampon de stockage


PBS with 0.09% sodium azide and 0.5% BSA.

in USA), or 1(312) 455-8498 (outside USA)

Données de validation sélectionnées



1X10^6 human whole blood granulocytes were surface stained with 5 ul Atlantic Blue™ Anti-Human CD13 (AB-65186, Clone: WM15) or Mouse IgG1 Isotype Control. Cells were not fixed.



1X10^6 human whole blood granulocytes were surface stained with 5 ul Atlantic Blue™ Anti-Human CD13 (AB-65186, Clone: WM15) or Mouse IgG1 Isotype Control. Cells were not fixed.