

À des fins de recherche uniquement

# Anticorps Monoclonal anti-CD38

Numéro de catalogue:**APC-65059**



## Informations de base

Numéro de catalogue:	BC046312	Méthode de purification:
APC-65059	Purification par affinité	
Taille:	12494	CloneNo.:
100ug , 0.1 mg/ml		90
Hôte:	Nom complet:	Excitation/Emission maxima
Rat	CD38 antigen	wavelengths:
Isotype:		650 nm / 660 nm
IgG2a		

## Applications

Applications testées:  
FC

Spécificité de l'espèce:  
souris

## Informations générales

CD38, also known as ADP-ribosyl cyclase 1, is a type II transmembrane glycoprotein with a short N-terminal cytoplasmic tail, a single membrane-spanning domain, and a C-terminal extracellular region with four N-glycosylation sites (PMID: 2319135). The extracellular domain of CD38 has bifunctional enzyme activities that catalyze synthesis of cyclic ADP ribose from nicotinamide adenine dinucleotide (NAD) and hydrolysis of cyclic ADP ribose to adenosine diphosphoribose (PMID: 10636863). CD38 is expressed on a variety of hematopoietic and non-hematopoietic cells and is involved in diverse processes such as generation of calcium-mobilizing metabolites, cell activation, and chemotaxis (PMID: 25938500).


## Stockage

Stockage:  
Stocker à une température comprise entre 2 °C et 8 °C. Éviter toute exposition à la lumière.  
Tampon de stockage:  
PBS avec azoture de sodium à 0,1 % et un agent stabilisant.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)      E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



1X10<sup>6</sup> C57BL/6 mouse splenocytes were surface stained with FITC Anti-Mouse CD3 $\epsilon$  (FITC-65060, Clone: 145-2C11) and 0.20 ug APC Anti-Mouse CD38 (APC-65059, Clone: 90). Cells were not fixed.

1X10<sup>6</sup> C57BL/6 mouse splenocytes were surface stained with FITC Anti-Mouse CD3 $\epsilon$  (FITC-65060, Clone: 145-2C11) and 0.20 ug APC-Rat IgG2a isotype control antibody. Cells were not fixed.