

À des fins de recherche uniquement

Anticorps Monoclonal anti-CD73

Numéro de catalogue:[APC-65162](#)



Informations de base

Numéro de catalogue:	BC015940	Méthode de purification:
APC-65162	L'anticorps purifié est conjugué à l'allophycocyanine (APC) dans des conditions optimales. Le conjugué est purifié par chromatographie d'exclusion de taille.	
Taille:	4907	CloneNo.:
100 tests, 10 µl/test	Nom complet:	AD2
Hôte:	5'-nucleotidase, ecto (CD73)	Excitation/Emission maxima wavelengths:
Mouse	MW calculé	650 nm / 660 nm
Isotype:	29 kDa, 63 kDa	
Mouse IgG1 kappa		

Applications

Applications testées:
FC

Spécificité de l'espèce:
Humain

Informations générales

CD73, also known as ecto-5'-nucleotidase (5'-NT), is a 70-kDa, glycosyl-phosphatidylinositol-linked membrane-bound glycoprotein found in most tissues (PMID: 18404475; 20179192). CD73 is an ectoenzyme that catalyzes the dephosphorylation of AMP and other nucleoside monophosphates (PMID: 9553767). In the human immune system, CD73 is expressed on subsets of T and B cells, on germinal center follicular dendritic cells, and on thymic medullary reticular fibroblasts and epithelial cells (PMID: 2137649; 9553767). CD73 is highly expressed in many human solid tumors and is closely involved in cancer progression (PMID: 20179192).


Stockage

Stockage:
Stocker à une température comprise entre 2 °C et 8 °C. Éviter toute exposition à la lumière.
Tampon de stockage:
PBS avec azoture de sodium à 0,1 %.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



1X10⁶ human peripheral blood lymphocytes were surface stained with PE-Anti-Human CD3 (PE-65148, clone SK7) and 10.00 ul/test APC-Anti-Human CD73 (APC-65162, Clone:AD2). Cells were not fixed.

1X10⁶ human peripheral blood lymphocytes were surface stained with PE-Anti-Human CD3 (PE-65148, clone SK7) and APC-mouse IgG1 isotype control antibody. Cells were not fixed.