

À des fins de recherche uniquement

# Anticorps Monoclonal anti-CD25

Numéro de catalogue:**CL488-65096**



## Informations de base

Numéro de catalogue:	BC156627	Méthode de purification:
CL488-65096	Purification par affinité	
Taille:	Identification du gène (NCBI):	CloneNo.:
100 tests , 5 µl/test	3559	BC96
Hôte:	Nom complet:	Excitation/Emission maxima
Mouse	interleukin 2 receptor, alpha	wavelengths:
Isotype:	MW calculé	493 nm / 522 nm
IgG1	272 aa, 31 kDa	

## Applications

Applications testées:  
FC

Spécificité de l'espèce:  
Humain

## Informations générales

Proliferation of T lymphocytes is triggered by the interaction of IL-2 with its specific receptor following T lymphocyte activation. The receptor for IL-2 has three forms, generated by different combinations of three different proteins, the alpha chain (IL-2R alpha), the beta chain (IL-2R beta), and the gamma chain (IL-2R gamma) (PMID: 8476561). IL-2R alpha (also known as CD25) is a type I transmembrane protein present on activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes. CD25 is also found on natural CD4+Foxp3+ Treg cells and a subset of human CD4+ memory T cells (PMID: 22585674).

## Stockage


Stockage:  
Stocker à une température comprise entre 2 °C et 8 °C. Éviter toute exposition à la lumière.  
Tampon de stockage:  
PBS avec azoture de sodium à 0,1 % et BSA à 0,5 %, pH 7,3.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



1X10<sup>6</sup> human peripheral blood mononuclear cells (PBMCs) were surface stained with APC Anti-Human CD4 (APC-65134, Clone: OKT4) and 5.00 ul CoraLite® Plus 488-conjugated Anti-Human CD25 (CL488-65096, Clone: BC96). Cells were not fixed.



1X10<sup>6</sup> human peripheral blood mononuclear cells (PBMCs) were surface stained with APC Anti-Human CD4 (APC-65134, Clone: OKT4) and CoraLite® Plus 488-conjugated Mouse IgG1 isotype control antibody. Cells were not fixed.