

À des fins de recherche uniquement

# Anticorps Monoclonal anti-CD27

Numéro de catalogue:**CL488-65132**



## Informations de base

Numéro de catalogue:	BC012160	Méthode de purification:
CL488-65132	Purification par affinité	
Taille:	Identification du gène (NCBI):	CloneNo.:
100tests , 5 µl/test	939	O323
Hôte:	Nom complet:	Excitation/Emission maxima
Mouse	CD27 molecule	wavelengths:
Isotype:	MW calculé	493 nm / 522 nm
IgG1	29 kDa	

## Applications

Applications testées:  
FC

Spécificité de l'espèce:  
Humain

## Informations générales

CD27 (also known as TNFRSF7) is a type I glycoprotein expressed on some B cells and the majority of T cells, and is a member of the tumor necrosis factor (TNF) receptor family. CD27 is required for generation and long-term maintenance of T cell immunity (PMID: 11062504). It is a receptor for CD70 (CD27L). Ligation of CD27 by CD70 induces strong ubiquitination of TRAF and the activation of both canonical and non-canonical NF-κappaB pathways, as well as the JNK pathway (PMID: 19426224). CD27 may also play a role in apoptosis through association with SIVA1.


## Stockage

Stockage:  
Stocker à une température comprise entre 2 °C et 8 °C. Éviter toute exposition à la lumière.  
Tampon de stockage:  
PBS avec azoture de sodium à 0,1 % et BSA à 0,5 %, pH 7,3.


For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)      E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



1X10<sup>6</sup> human peripheral blood lymphocytes were surface stained with APC-Anti-Human CD19 (APC-65145, Clone: SJ25C1) and 5.00 ul Coralite® Plus 488-conjugated Anti-Human CD27 (CL488-65132, Clone: O323). Cells were not fixed.



1X10<sup>6</sup> human peripheral blood lymphocytes were surface stained with APC-Anti-Human CD19 (APC-65145, Clone: SJ25C1) and Coralite® Plus 488-conjugated Mouse IgG1 isotype control antibody. Cells were not fixed.