

À des fins de recherche uniquement

Anticorps Monoclonal anti-EIF4G1

Numéro de catalogue:**CL488-67199**



Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL488-67199	BC007788	Purification par protéine G
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 1000 µg/ml by Nanodrop;	1981	2B10G8
Hôte:	Nom complet:	Dilutions recommandées:
Mouse	eukaryotic translation initiation factor 4 gamma, 1	IF 1:50-1:500
Isotype:	MW calculé	Excitation/Emission maxima wavelengths:
IgG1	1600 aa, 176 kDa	493 nm / 522 nm
Immunogen Catalog Number:	MW observés:	
AG8357	240-250 kDa	

Applications

Applications testées:	Contrôles positifs:
IF	IF : cellules HepG2,

Spécificité de l'espèce:
Humain, rat, souris

Informations générales

Eukaryotic cellular messenger RNAs are posttranscriptionally modified by addition of an m(7)GTP moiety to the 5'-prime terminus, referred to as a cap. Recognition of the cap structure and unwinding of mRNA secondary structure during the initiation phase of protein synthesis is catalyzed by initiation factors of the eIF4 group. EIF4G1, a subunit of eIF4 gamma, forms various complexes with the other eIF4 polypeptides [PMID: 7601469]. Mutations in the EIF4G1 gene, encoding a component of the eIF4F translation initiation complex, were recently reported as a possible cause for the autosomal dominant form of Parkinson's disease [PMID: 22658323]. The calculated molecular weight of EIF4G1 is 175 kDa, but modified EIF4G1 is about 220-240 kDa. (PMID: 18426977)

Stockage

Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20°C


*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using CoraLite® Plus 488 EIF4G1 antibody (CL488-67199, Clone: 2B10G8) at dilution of 1:200.