

À des fins de recherche uniquement

Anticorps Polyclonal de lapin anti-Cytokeratin 19

Numéro de catalogue:**CL555-14965** Phare



Informations de base

Numéro de catalogue:	Numéro d'acquisition GenBank:	Méthode de purification:
CL555-14965	BC002539	Purification par affinité contre l'antigène
Taille:	Identification du gène (NCBI):	Dilutions recommandées:
100ul , Concentration: 1000 µg/ml by Nanodrop;	3880	IF 1:50-1:500
Hôte:	Nom complet:	Excitation/Emission maxima wavelengths:
Lapin	keratin 19	557 nm / 570nm
Isotype:	MW calculé	
IgG	44 kDa	
Immunogen Catalog Number:		
AG6830		

Applications

Applications testées:	Contrôles positifs:
FC (Intra), IF	IF : cellules HeLa,
Spécificité de l'espèce:	
Humain, rat, souris	

Informations générales

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral counterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. KRT19, one of type I keratins, is specifically expressed in the periderm, the transiently superficial layer that envelopes the developing epidermis. Due to its high sensitivity, KRT19 is the most used marker for detection of tumor cells disseminated in lymph nodes, peripheral blood, and bone marrow of breast cancer patients. This antibody, generated against full length KRT19 protein, also recognizes KRT17, another type I keratin homologous to KRT19.

Stockage


Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



WWW.PTGLAB.COM



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using CoraLite®555 Cytokeratin 19 antibody (CL555-14965) at dilution of 1:200.

1X10⁶ MCF-7 cells were intracellularly stained with 0.4 ug CoraLite®555 Anti-Human Cytokeratin 19 (CL555-14965) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).