À des fins de recherche uniquement

Anticorps Monoclonal anti-CD3

Numéro de catalogue: CL555-65151





Informations de base	Numéro de catalogue: CL555-65151	Numéro d'acquisition GenBank: BC049847	Méthode de purification: Purification par affinité
	Taille: 100tests , 5 µl/test	Identification du gène (NCBI): 916	CloneNo.: UCHT1
	Hôte: Mouse Isotype: IgG1, kappa	Nom complet: CD3e molecule, epsilon (CD3-TCR complex) MW calculé 207 aa, 23 kDa	Excitation/Emission maxima wavelengths: 554 nm / 570 nm
Spécificité de l'espèce: Humain			
Informations générales	CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).		
Stockage	Stockage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Tampon de stockage: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées





1X10⁶ human PBMCs were surface co-stained with CL647 Anti-Human CD19 and 5 ul Coralite® Plus 555 Anti-Human CD3 (CL555-65151, Clone:UCHT1) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.

1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 555 Anti-Human CD3 (CL555-65151, Clone:UCHT1) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.