À des fins de recherche uniquement

Anticorps Monoclonal anti-CD55

Numéro de catalogue:CL555-65271





Informations de base	Numéro de catalogue: CL555-65271	Numéro d'acquisition GenBank: BC001288	Méthode de purification: Purification par affinité
	Taille: 100tests , 5 ul/test	Identification du gène (NCBI): 1604	CloneNo.: JS11
	Hôte: Mouse Isotype: IgG1	Nom complet: CD55 molecule, decay accelerating factor for complement (Cromer blood group) MW calculé 41 kDa	Excitation/Emission maxima wavelengths: 554 nm / 570 nm
Applications	Applications testées: FC Spécificité de l'espèce: Humain		
Informations générales	CD55, also known as DAF, is a glycosylphosphatidylinositol (GPI)-anchored surface glycoprotein that is widely distributed on blood, stroma, epithelial, and endothelial cells (PMID: 7517044; 29503741). It can also exist as a soluble form in plasma, urine, saliva, tears, and synovial fluids (PMID: 29503741). CD55 is a complement regulatory protein (PMID: 2469439; 7517044). It inhibits formation of the C3 convertases through binding to C3b and C4b. It also binds the alternate pathway convertase C3bBb, the classical pathway convertase and C4b2a to accelerate their decay (PMID: 17289551). CD55 also serves as a receptor for coxsackieviruses B1, B3, and B5 and several enteroviruses (PMID: 7538177; 7517044).		
Stockage	Stockage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Tampon de stockage: PBS with 0.09% sodium azide and 0.5% BSA.		

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées





1X10^{^6} human PBMCs were surface stained with 5 ul Coralite® Plus 555 Anti-Human CD55 (CL555-65271, Clone: JS11) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.

1X10^{^6} human PBMCs were surface stained with 5 ul CoraLite® Plus 555 Anti-Human CD55 (CL555-65271, Clone: JS11) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.