

À des fins de recherche uniquement

# Anticorps Monoclonal anti-CD107b / LAMP2



Numéro de catalogue:[CL568-65052](#)

## Informations de base

Numéro de catalogue:	BC138718	Méthode de purification:
CL568-65052	Purification par affinité	
Taille:	Identification du gène (NCBI):	CloneNo.:
100tests , 5 µl/test	16784	ABL-93
Hôte:	Nom complet:	Dilutions recommandées:
Rat	lysosomal-associated membrane protein 2	IF 1:50-1:500
Isotype:		Excitation/Emission maxima wavelengths:
IgG2a, kappa		568 nm / 587 nm

## Applications

Applications testées:	Contrôles positifs:
FC (Intra), IF	IF : cellules NIH/3T3,
Spécificité de l'espèce:	
souris	

## Informations générales

LAMP2 (CD107b) is a Lysosomal membrane glycoprotein. LAMP2 is extensively glycosylated with asparagine-linked oligosaccharides which protect it from intracellular proteolysis (PMID: 10521503). Although LAMP-2 is localized primarily in the endosome-lysosomal membrane of cells, it is also found on the plasma membrane under certain circumstances, e.g. after platelet activation, during granulocytic differentiation and activation, and in some tumor cells (PMID: 12221139). LAMP is involved in lysosomal stability and autophagy (PMID: 12221139). This glycoprotein provides selectins with carbohydrate ligands. LAMP2 may play a role in tumor cell metastasis (PMID 9426697).


## Stockage

**Stockage:**  
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.  
**Tampon de stockage:**  
PBS avec azoture de sodium à 0,1 % et BSA à 0,5 %, pH 7,3.

For technical support and original validation data for this product please contact:  
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free  
in USA), or 1(312) 455-8498 (outside USA)      E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



$1 \times 10^6$  NIH/3T3 cells were intracellularly stained with 5  $\mu$ l Coralite® 568 Anti-Mouse CD107b (CL568-65052, Clone: ABL-93) (red), or Control Antibody (blue). Cells were fixed with 4% PFA and permeabilized with 0.1% TritonX-100.

Immunofluorescent analysis of (-20°C Ethanol) fixed NIH/3T3 cells using Coralite® 568 CD107b antibody (CL568-65052, Clone: ABL-93) at dilution of 1:100.