

À des fins de recherche uniquement

# Anticorps Monoclonal anti-DACH1

Numéro de catalogue: CL594-60082

1 Publications



## Informations de base

<b>Numéro de catalogue:</b> CL594-60082	<b>Numéro d'acquisition GenBank:</b> BC021219	<b>Méthode de purification:</b> Purification par protéine G
<b>Taille:</b> 100ul , Concentration: 1000 µg/ml by Bradford method using BSA as the standard;	<b>Identification du gène (NCBI):</b> 1602	<b>CloneNo.:</b> 3B6D2
<b>Hôte:</b> Mouse	<b>Nom complet:</b> dachshund homolog 1 (Drosophila)	<b>Dilutions recommandées:</b> IF 1:50-1:500
<b>Isotype:</b> IgG1	<b>MW calculé</b> 79 kDa	<b>Excitation/Emission maxima wavelengths:</b> 588 nm / 604 nm
<b>Immunogen Catalog Number:</b> AG4474		

## Applications

<b>Applications testées:</b> IF	<b>Contrôles positifs:</b> IF : tissu cérébral de souris,
<b>Demandes citées:</b> IF	
<b>Spécificité de l'espèce:</b> Humain, rat, souris	
<b>Espèces citées:</b> Humain	

## Informations générales

DACH1, a homologue of the *Drosophila* dachshund gene, is a key regulator of cell fate determination during eye, leg, and brain development in the fly. Through interacting with NCoR and Smad4, DACH1 is able to inhibit the transforming growth factor-beta (TGF-beta) signaling pathway. DACH1 can inhibit breast cancer cellular proliferation via cyclin D1, suggesting a possible role in tumor suppression. Additionally, DACH1 plays an important role in negative regulation of RANKL (Receptor activator of NF-kappaB ligand) gene expression in marrow stromal/preosteoblast cells, and loss of DACH1 expression might be involved in endometrial cancer progression. Four isoforms of DACH1 are produced by alternative splicing, but isoform1(97-110 kd) is the predominantly expressed form in tissue. This antibody is a mouse monoclonal antibody raised against residues near the C terminus of human DACH1. The antibody is conjugated with CL594, Ex/Em 593 nm/614 nm.

## Publications notables

Autrice	Pubmed ID	Journal	Application
Xiang Hu	32512510	EBioMedicine	IF

## Stockage


**Stockage:**  
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.  
**Tampon de stockage:**  
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.  
L'aliquotage n'est pas nécessaire pour le stockage à -20C

\*\*\* Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Données de validation sélectionnées



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CL594-60082 (DACH1 antibody) at dilution of 1:50.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using CL594-60082 (DACH1 antibody) at dilution of 1:50.