

À des fins de recherche uniquement

Anticorps Monoclonal anti-RBBP9

Numéro de catalogue:**CL594-66015**



Informations de base

Numéro de catalogue:	BC015938	Méthode de purification:
CL594-66015	Purification par protéine A	
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 1000 µg/ml by Nanodrop;	10741	3D5E11
Hôte:	Nom complet:	Excitation/Emission maxima
Mouse	retinoblastoma binding protein 9	wavelengths:
Isotype:	MW calculé	588 nm / 604 nm
IgG2b	186 aa, 21 kDa	
Immunogen Catalog Number:	MW observés:	
AG17864	22 kDa	

Applications

Applications testées:

FC (Intra)

Spécificité de l'espèce:

Humain

Informations générales

RBBP9, also named as BOG, RBBP10, RBBP-9, RBBP-10 and Protein BOG, belongs to the RBBP9 family. It may play a role in the transformation process due to its capacity to confer resistance to the growth-inhibitory effects of TGF-β1 through interaction with retinoblastoma and the subsequent displacement of E2F-1. RBBP9 is a tumor-associated serine hydrolase activity required for pancreatic neoplasia. It mediates suppression of TGF-β signaling is required for E-cadherin expression as loss of the serine hydrolase activity leads to a reduction in E-cadherin levels and a concomitant decrease in the integrity of tumor cell-cell junctions..RBBP9 protein levels were equivalent in paired primary tumor and nonneoplastic specimens(PMID:20080647)

Stockage

Stockage:

Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.

Tampon de stockage:

PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.


L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.

For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



1X10⁶ HeLa cells were intracellularly stained with 0.4 ug CoralLite®594 Anti-Human RBBP9 (CL594-66015, Clone:3D5E11) (red), or 0.4 ug Mouse IgG2b Isotype Control (CL594-66360-3, Clone: K11B8C4B5) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).