

À des fins de recherche uniquement

Anticorps Monoclonal anti-ORM1/2

Numéro de catalogue:**CL594-66097**



Informations de base

Numéro de catalogue:	BC026238	Méthode de purification:
CL594-66097	Purification par protéine G	
Taille:	Identification du gène (NCBI):	CloneNo.:
100ul , Concentration: 1000 µg/ml by Nanodrop;	5004	5F2H7
Hôte:	Nom complet:	Dilutions recommandées:
Mouse	orosomucoid 1	IF 1:50-1:500
Isotype:	MW calculé	Excitation/Emission maxima
IgG1	201 aa, 24 kDa	wavelengths:
Immunogen Catalog Number:	MW observés:	588 nm / 604 nm
AG19248	40-47 kDa	

Applications

Applications testées:	Contrôles positifs:
FC (Intra), IF	IF : cellules HepG2,
Spécificité de l'espèce:	
Humain	

Informations générales

Alpha-1-acid glycoprotein 1 (AGP1), also called orosomucoid-1 (ORM1), is a glycoprotein synthesized mostly by hepatocytes and present in human plasma. ORM1 is an acute-phase reactant protein controlled by glucocorticoids, interleukin-1 and interleukin-6, and increase up to 5-50 times upon infection and/or inflammation. Anti-apoptotic effect and role as immunomodulator of ORM have been reported. ORM is an important carrier for synthetic drugs and influences their distribution and availability in the body. This antibody recognizes a band about 44 kDa in human plasma which may be due to the glycosylation of ORM1 or the dimer formation of the protein. This antibody recognizes both ORM1 and ORM2.

Stockage


Stockage:
Stocker à -20 °C. Éviter toute exposition à la lumière. Stable pendant un an après l'expédition.
Tampon de stockage:
PBS avec glycérol à 50 %, Proclin300 à 0,05 % et BSA à 0,5 %, pH 7,3.
L'aliquotage n'est pas nécessaire pour le stockage à -20°C

*** Les 20ul contiennent 0,1% de BSA.


For technical support and original validation data for this product please contact:
T: 1(888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Données de validation sélectionnées



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CL594-66097 (ORM1/2 antibody) at dilution of 1:50.



1X10⁶ HepG2 cells were intracellularly stained with 0.4 ug Coralite®594 Anti-Human ORM1/2 (CL594-66097, Clone:5F2H7) (red), or 0.4 ug Mouse IgG1 Isotype Control (CL594-66360, Clone: T1F8D3F10) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).